

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1026	375/259.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L6	2891	375/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L7	427	375/367.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L8	1049	(transmi\$6 with modulation) same (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:24
L9	3	5 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L10	5	6 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:25
L11	1	7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:25
L12	2360	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) with ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L13	7	5 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:26
L14	21	6 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:27

EAST Search History

L15	71	7 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:27
S1	0	pseudo adj1 radom with poisson adj2 process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:55
S2	558	poisson adj2 process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:56
S3	2	10/633,846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:55
S4	17	poisson adj2 process\$3 and modulat\$3 same tim\$3 same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:04
S5	18	poisson adj2 process\$3 and modulat\$3 same tim\$3 same frequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 09:56
S7	107	(Rastegar with Jahangir) or (Spineni with Thomas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:05
S8	26	((Rastegar with Jahangir) or (Spineni with Thomas)) and (transmi\$5 and receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:35
S9	1	((Rastegar with Jahangir) or (Spineni with Thomas)) and (transmi\$5 and receiv\$3) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:06
S12	20	low adj1 detect\$7 with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:44

EAST Search History

S13	709	(\$3PSK or \$3QAM or FSK) same (first and second) with (transmi\$6 and receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:48
S14	347	(\$3PSK or \$3QAM or FSK) same (transmi\$6 and receiv\$3) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:05
S15	7	(\$3PSK or \$3QAM or FSK) same (first and second) with (transmi\$6 and receiv\$3) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:03
S16	3	(\$3PSK or \$3QAM or FSK) same (first and second) with (transmi\$6 and receiv\$3) same header with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 10:49
S17	1	(\$3PSK or \$3QAM or FSK) same (first and second) with (transmi\$6 and receiv\$3) same header with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:01
S18	4	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:03
S19	189	(\$3PSK or \$3QAM or FSK) same (transmi\$6 and receiv\$3) same header with (modulat\$3 or frequency or tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:07
S20	133	(transmi\$6 and receiv\$3) same (\$3PSK or \$3QAM or FSK) with header with (modulat\$3 or frequency or tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:08
S21	9	(transmi\$6 and receiv\$3) same (\$3PSK or \$3QAM or FSK) with header with (modulat\$3 or frequency or tim\$3) with information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:37
S22	2036	(transmi\$6 with (\$2PSK or FSK or \$2QAM)) same ((next or second) with (\$2PSK or FSK or \$2QAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:42

EAST Search History

S23	1711	(transmi\$6 with (\$2PSK or FSK or \$2QAM)) with ((next or second) with (\$2PSK or FSK or \$2QAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 11:43
S24	45	(transmi\$6 with pluralit\$3 with modulation) with ((next or second) with (\$2PSK or FSK or \$2QAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:41
S27	1	(transmi\$6 with multi\$2mode with modulation) same (header with (next or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:45
S28	1	(transmi\$6 with multi\$2mode with modulation) same (modulation with (next or second) with (information or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 13:52
S32	2	(transmi\$6 with multi\$2mode with modulation) same (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:36
S33	2	(transmi\$6 with multi\$2mode with modulation) same (identifier or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:39
S34	1049	(transmi\$6 with modulation) same (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:31
S35	487	(transmi\$6 with modulation) with (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 14:42
S36	65	(transmi\$6 with modulation) with (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification) with (message or pack\$3 or head\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S37	9	"5701332"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:05

EAST Search History

S38	19	"5982819"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:07
S39	8	"6169761"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:07
S40	9	(transmi\$6 with modulation) same (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:33
S41	110	(transmi\$6 with (modulation or tim\$3 or frequenc\$3)) same (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification) and poisson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:40
S42	85	transmi\$6 same (modulation adj3 type) with (next or second) with (data or message or information or transmi\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:43
S43	70	transmi\$6 same (modulation adj3 type) with (next or second) with (data or message or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/14 15:43
S44	68	(transmi\$6 with modulation) with (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification) with (message or pack\$3 or head\$3 or preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:32
S45	65	(transmi\$6 with modulation) with (append\$3 or attach\$3 or (along adj1 "with") or includ\$3) with (ID or identifier or identification) with (message or pack\$3 or head\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S46	3	S44 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:29
S47	2360	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) with ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:36

EAST Search History

S48	1	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) with (append\$3 or attach\$3) with ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:38
S49	204	(transmi\$6 and (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) same (append\$3 or attach\$3) same ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:38
S50	204	(transmi\$6 same (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) same (append\$3 or attach\$3) same ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:39
S51	119	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) same (append\$3 or attach\$3) same ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:39
S52	4	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) with (append\$3 or attach\$3) same ((PN or random) with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:40
S53	44	(transmi\$6 with (modulation adj2 type or timing or synchroni\$6 or frequenc\$3)) with ((PN or random) with generat\$3) same (append\$3 or attach\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 14:16